

# DOCK BOARD


## MODEL C Red Pin

### Dock Board Model C

Designed for every truck to dock loading application, the Model C Dock Board relies on (4) 1" stress-proof steel pins for securement. The additional pin placement slots make this board adaptable for loading conventional, refrigerated, container, and even lift gate trailers; it can even be turned around for below dock conditions.



- Full length pin hole pockets placed on each edge
- All-welded steel construction
- Capacities from 15,000 to 40,000 pounds
- Widths from 60" to 84"
- Fold-down lifting loops
- Double-bend design
- Four pins



### Full Length Pin Placement Positions

Unlike a 2 pin board, 4 pin dock boards with full length pin hole placement slots are capable of loading trucks docking at an angle. This style boards is also capable of park out loading (depicted to the right); This style of loading is essential to trucks with lift gates and other attachments restricting proper docking against the bumpers.

### All Welded Steel Construction

All welded steel curbs, in place of bolt on curbs, give the model C Dock Board a greater range of capacities while increasing the effective life of the dock board.

### Double Bend Design



Each end of the Model T dock board is optimized for smooth loading via a 9° bend on the dock side and a 7° bend for access into the trailer.

### Fold Down Lifting Loops


Fold down lifting loops eliminate the need for cumbersome and time consuming lifting chains. This improves work place safety and reduces the time it takes to pick up and place the dock board in position.

### ANSI Rated Steel

Standard MH30.2 -- In addition to the test for overall strength, as has been a longstanding practice for dockboard manufacturers, this standard incorporates a test which sets limits for deflection of product while under load. This test insures the integrity of the slope of the ramp. Loss of shape will result in grades which may not be usable for certain equipment.




# MODEL C



## SPECIFICATIONS

- Overall Width: +6"
- Usable Width: -6"
- Curb Height: 4"
- Curb Width: 3"
- Pin Length: Varies by board length

20C6060



Dock Board Model C						
Model	Height Up		Range Down	Width	Length	Wt. (lbs)
	Pallet Truck Elec Forklift	Propane Forklift				
<b>15,000 lb capacity</b>						
15C6048	5"	7"	3"	60"	48"	460
15C6060	7"	9"	3 1/2"	60"	60"	551
15C6072	8 1/2"	11"	4 1/2"	60"	72"	643
15C6078	9"	12"	5"	60"	78"	689
15C6084	10"	13"	5 1/2"	60"	84"	735
15C6096	12"	15"	6 1/2"	60"	96"	827
15C7248	5"	7"	3"	72"	48"	527
15C7260	7"	9"	3 1/2"	72"	60"	633
15C7272	8 1/2"	11"	4 1/2"	72"	72"	739
15C7278	9"	12"	5"	72"	78"	791
15C7284	10"	13"	5 1/2"	72"	84"	970
15C7296	12"	15"	6 1/2"	72"	96"	950
15C7848	5"	7"	3"	78"	48"	561
15C7860	7"	9"	3 1/2"	78"	60"	674
15C7872	8 1/2"	11"	4 1/2"	78"	72"	786
15C7878	9"	12"	5"	78"	78"	842
15C7884	10"	13"	5 1/2"	78"	84"	899
15C7896	12"	15"	6 1/2'	78"	96"	1,011
15C8448	5"	7"	3"	84"	48"	614
15C8460	7"	9"	3 1/2"	84"	60"	714
15C8472	8 1/2"	11"	4 1/2"	84"	72"	834
15C8478	9"	12"	5"	84"	78"	893
15C8484	10"	13"	5 1/2"	84"	84"	953
15C8496	12"	15"	6 1/2"	84"	96"	1,073

Dock Board Model C						
Model	Height Up		Range Down	Width	Length	Wt. (lbs)
	Pallet Truck Elec Forklift	Propane Forklift				
<b>20,000 lb capacity</b>						
20C6048	5"	7"	3"	60"	48"	511
20C6060	7"	9"	3 1/2"	60"	60"	616
20C6072	8 1/2"	11"	4 1/2"	60"	72"	720
20C6078	9"	12"	5"	60"	78"	772
20C6084	10"	13"	5 1/2"	60"	84"	825
20C6096	12"	15"	6 1/2"	60"	96"	929
20C7248	5"	7"	3"	72"	48"	589
20C7260	7"	9"	3 1/2"	72"	60"	710
20C7272	8 1/2"	11"	4 1/2"	72"	72"	831
20C7278	9"	12"	5"	72"	78"	891
20C7284	10"	13"	5 1/2"	72"	84"	952
20C7296	12"	15"	6 1/2"	72"	96"	1,073
20C7848	5"	7"	3"	78"	48"	628
20C7860	7"	9"	3 1/2"	78"	60"	757
20C7872	8 1/2"	11"	4 1/2"	78"	72"	886
20C7878	9"	12"	5"	78"	78"	951
20C7884	10"	13"	5 1/2"	78"	84"	1,015
20C7896	12"	15"	6 1/2"	78"	96"	1,144
20C8448	5"	7"	3"	84"	48"	667
20C8460	7"	9"	3 1/2"	84"	60"	804
20C8472	8 1/2"	11"	4 1/2"	84"	72"	1,006
20C8478	9"	12"	5"	84"	78"	941
20C8484	10"	13"	5 1/2"	84"	84"	1,079
20C8496	12"	15"	6 1/2"	84"	96"	1,216

Dock Board Model C						
Model	Height Up		Range Down	Width	Length	Wt. (lbs)
	Pallet Truck Elec Forklift	Propane Forklift				
<b>25,000 lb capacity</b>						
25C6048	5"	7"	3"	60"	48"	613
25C6060	7"	8"	3 1/2"	60"	60"	743
25C6072	8 1/2"	11"	4 1/2"	60"	72"	873
25C6084	10"	13"	5 1/2"	60"	84"	1,003
25C7248	5"	7"	3"	72"	48"	711
25C7260	7"	9"	3 1/2"	72"	60"	863
25C7272	8 1/2"	11"	4 1/2"	72"	72"	1,014
25C7278	9"	12"	5"	72"	78"	1,090
25C7284	10"	13"	5 1/2"	72"	84"	1,166
25C7296	12"	15"	6 1/2"	72"	96"	1,317
25C7848	5"	7"	3"	78"	48"	760
25C7860	7"	9"	3 1/2"	78"	60"	923
25C7872	8 1/2"	11"	4 1/2"	78"	72"	1,085
25C8448	5"	7"	3"	84"	48"	809
25C8460	7"	9"	3 1/2"	84"	60"	982
25C8472	8 1/2"	11"	4 1/2"	84"	72"	1,155
25C8478	9"	12"	5"	84"	78"	1,242
25C8484	10"	13"	5 1/2"	84"	84"	1,329
25C8496	12"	15"	6 1/2"	84"	96"	1,502

STEEL RED PIN DOCK BOARD OPTIONS AND ACCESSORIES		
Model / Part	Description	Wt. (lbs)
CLC	Lifting chains and lift loops	1
CLP20	20" red replacement pin, chain, and keeper	15
CLP24	24" red replacement pin, chain, and keeper	17
CLP30	30" red replacement pin, chain and keeper	22
CLP36	36" red replacement pin, chain, and keeper	25
CNLL	Lifting chains without lift loops	